CONTENTS OF VOLUME 10

TABLE OF CONTENTS
LASER AND PARTICLE BEAMS
Vol. 10 1992

NUMBER 1

W. Tan (Shanghai Inst. of Optics, China), C. S. Liu, P. N. Guzdar, and Y. C. Lee (Univ. of Maryland, College Park, MD, USA): Parametric instabilities due to multiwavelength excitation 1

W. Tan (Shanghai Inst. of Optics, China) and C. S. Liu (Univ. of Maryland, College Park, MD, USA): Raman and Brillouin scattering in the filaments in laser-irradiated plasma 15

H. Szichman and S. Eliezer (Soreq Nuc. Res. Center, Yavneh, Israel): Scaling laws for pressure, temperature, and ionization with two-temperature equation-of-state effects in laser-produced plasmas 23

B. A. Shiwai, A. Djaoui, S. J. Rose (Rutherford Appleton Lab., Oxon, UK), T. A. Hall and G. J. Tallents (Univ. of Essex, Colchester, UK): Improvements to ion-correlation experiments in dense plasmas 41

W. Jiang, K. Masugata and K. Yatsui (Nagaoka Univ. of Tech., Niigata, Japan): Analytical modeling of a self-magnetically insulated plasma focus diode 53

L. Gizzi, D. Batani, V. Biancalana, A. Giulietti, and D. Giulietti (Ist. di Fisica Atom. e Mol., Pisa, Italy): X-ray emission from thin-foil laser-produced plasmas 65

S. J. Karttunen (Technical Research Centre, Helsinki, Finland) and R. R. E. Salomaa (Helsinki Univ. of Tech., Espoo, Finland): Simultaneous stimulated Raman forward and backward scattering in hot, well-underdense plasmas 75

D. Schirmann, D. Juraszek (CEL-V, Villeneuve Saint-Georges, France), S. M. Lane and E. M. Campbell (LLNL, Livermore, CA, USA): Scaling model for high-aspect-ratio microballoon direct-drive implosions at short laser wavelengths 91

V. Kumar and R. K. Thareja (Indian Inst. of Tech., Kanpur, India): Laser-induced breakdown of argon gas near a metal surface 109

D. Ximing (Shanghai Inst. of Optics, China): Intrinsic angular momentum of the electromagnetic field 117

Z. Henis and S. Eliezer (Soreq Nuc. Res. Center, Yavneh, Israel): Semiclassical study of the muon transfer process between hydrogen isotopes in strong electromagnetic fields 135

P. Pieruschka, L. Cicchitelli, R. Khoda-Bakhsh, E. Kuhn, H. Hora (Univ. of New South Wales, Kensington, Australia), and G. H. Miley (Univ. of Illinois, Urbana, IL, USA): Volume ignition of inertial confinement fusion of deuterium–helium(3) and hydrogen–boron(11) clean fusion fuel 145

M. Aydin, G. Min, and H. Hora (Univ. of New South Wales, Kensington, Australia): 10-ps pulsation of laser plasma explained hydrodynamically by self-generated Bragg ripples and their decay and avoidance by smoothing 155

R. H. Hora, H. G. L. Coster, C. J. Walter, and H. Hora (Univ. of New South Wales, Kensington, Australia): Self-focusing limits at the laser-plasma interaction for treatment of cataract with nanosecond and picosecond pulses 163

W. Xiong and S. L. Chin (Univ. Laval, Québec, Canada): Tunnel ionization of K and Xe atoms by an intense CO_2 laser 179

M. M. Basko (Inst. of Theor. and Exp. Physics, Moscow, USSR): Preheating of heavy-ion-beam targets by secondary particles 189

L. J. Dhareshwar, P. A. Naik, H. C. Pant, and T. C. Kaushik (Bhabha Atomic Research Centre, Bombay, India): Study of laser-driven shock wave propagation in Plexiglas targets 201

Book Review by C.-G. Fälthammar 213

Number 2

Editor's Comments 215

Special Section: Selected Papers from the Physics of High Energy Density in Matter Conference

C. Deutsch (Université Paris, France): Ion cluster interaction with cold targets for ICF: Fragmentation and stopping 217

B. Strege and W. D. Kraeft (Universitaet Greifswald, Germany): Stopping power of charged particles in a plasma 227

G.C. Pomraning (UCLA, Los Angeles, CA, USA): Multimode flux-limited diffusion theory 239

A. Förster, W. Ebeling (Inst. für Theor. Physik, Berlin, Germany), and T. Kahlbaum (Zentralinst. für Elektronenphys., Berlin, Germany): Equation of state and the phase diagram of dense fluid helium in the region of partial ionization 253

P. Fromy, C. Deutsch, and G. Maynard (Université Paris, France): Thomas-Fermi-like and average atom model equations of state for highly compressed matter at any temperature 263

L. Drska and M. Sinor (Czech Tech. Univ. in Prague, Czechoslovakia): Average atom model and EOS calculations: DFT approach 277

T. Błeński and B. Cichocki (École Polytechnique, Lausanne, Switzerland): Linear response of partially ionized, dense plasmas 299

B. W. Boreham (Univ. College of Central Queensland, Australia): High-intensity laser interactions with tenuous plasma and ionization processes in noble gases 311

J. J. MacFarlane and P. Wang (Fusion Tech. Inst., Univ. of Wisconsin, Madison, WI, USA): Numerical simulation of emission spectra from ion beam-heated aluminum plasmas 349

Regular Papers

G. Armbrüster, B. Majer, U. Reimann, and C. Toepffer (Univ. Erlangen, Germany): Transient effects in strongly correlated non-equilibrium plasmas 365

W. A. Johnson and L. K. Warne (SNL, Albuquerque, NM, USA): Simple circuit models for the terminal properties of a nonlinear closing switch 375

Y. Y. Stoilov, O. A. Logunov, D. A. Nikolaenko, and A. V. Startsev (P. N. Lebedev Phys. Inst., Moscow, Russia): Development of dye lasers with bleaching wave 387

Number 3

Z. Guoliang, Y. Shusheng, N. Wanqing, D. Longlong, L. Mingfu, and J. Hong (Shanghai Inst. of Optics, China): GW-level high-power CO_2 laser system 413

M. Nakamura, K. Kondo, H. Nishimura, T. Endo, H. Shiraga, S. Miyamoto, Y. Kato and S. Nakai (Inst. of Laser Eng., Osaka Univ., Osaka, Japan): Numerical method for finding uniform irradiation conditions of a fusion capsule driven by X-ray radiation 421

K. Mann and K. Rohr (Universität Kaiserslautern, Germany): Differential measurement of the absolute ion yield from laser-produced C plasmas 435

A. Caruso, V.A. Pais and A. Parodi (Assoc. EURATOM-ENEA sulla Fusione, Centro Ricerche Energia Frascati, Rome, Italy): Rayleigh–Taylor instability study for heavy-ion beam driven, high-gain ICF implosions 447

L. Drska, J. Limpouch and R. Liska (Comp. Phys. Group Czech Tech. Univ. in Prague, Prague, Czechoslovakia): Fokker–Planck simulations of ultrashort-pulse laser-plasma interactions 461

L.D. Mikheev (P.N. Lebedev Phys. Inst., Acad. of Sci., Moscow Russia): Possibility of amplification of a femtosecond pulse up to the energy 1 kJ 473

S. Kawata (Nagaoka Univ. of Tech., Nagaoka, Japan) and H. Nakashima (Kyusyu Univ., Kasuga, Japan): Tritium content of a DT pellet in inertial confinement fusion 479

C. Marchisio (CEL-V, Villeneuve Saint-Georges, France): Polystyrene shells from pellets containing a chemical blowing agent 485

S. Eliezer and E. Mínguez (Inst. of Nuclear Fusion, Madrid, Spain): Equations of state for ions in non-LTE plasmas 495

Y.S. Sayasov (Inst. of Physics, Univ. of Fribourg, Fribourg, Switzerland): Nonlinear theory of ion stopping in classical plasmas: Application to the Barkas effect 505

S. Humphries, Jr. (Univ. of New Mexico, Albuquerque, NM): Simulations of longitudinal instabilities in ion induction linear accelerators 511

O.L. Komarov, Y.M. Saveljev and V.I. Engelko (D.V. Efremov Inst. of Electrophys. Apparatus, Leningrad, Russia) and P. Vrba (Inst. of Plasma Phys., Czechoslovak Acad. of Sci., Prague, Czechoslovakia): Influence of collector ions on operation of magnetically insulated diode 531

T. Westermann and W. Bauer (Inst. fur Neutronenphysik und Reaktortechnik, Karlsruhe, Germany): Treatment of edge beams in a focusing self-magnetically B_θ-insulated ion diode 539

Book Reviews by H. Kislev and C. Deutsch 549

Erratum 553

Number 4

H. Fiedorowicz: Preface 555

M. Andre, C. Bayer, D. Babonneau, M. Bernard, J.L. Bocher, J. Bruneau, A. Coudeville, J. Coutant, R. Dautray, A. Decoster, M. Decroisette, D. Desenne, B. Duborgel, J.M. Dufour, J.P. Jadaud, D. Juraszek, J.P. Garçonnet, P.A. Holstein, J. Lachkar, M. Louis-Jacquet, F. Mucchielli, B. Meyer, J.P. LeBreton, J. Ouvry, D. Schirmann, G. Schurtz, D. Véron, and J.P. Watteau (CEL-V, Villeneuve Saint-Georges, France): ICF-related experiments at CEL-V 557

M. Koenig, V. Malka, E. Fabre, P. Hammerling, A. Michard, J.M. Boudenne (LULI, Palaiseau, France), D. Batani (Univ. di Milano, Milano, Italy), J.P. Garçonnet (CEL-V, Villeneuve Saint-Georges, France) and P. Fews (Univ. of Bristol, Bristol, UK): Recent results on implosions directly driven at $\lambda = 0.26$-μm laser wavelength 573

D. Schirmann, C. Bayer, J.P. Garçonnet, D. Juraszek (CEL-V, Villeneuve Saint-Georges, France), A. Bertin and G. Grenier (Centre d'Etudes de Bruyères, Bruyères Le Châtel, France): Radiochemistry measurements on Phebus laser 585

R.P. Drake (LLNL, Livermore, CA, USA): Three-wave parametric instabilities in long-scale-length, somewhat-planar, laser-produced plasmas 599

I. Deha (Univ. Sci. de la Tech. Houari Boumedienne, Algiers), V. Biancalana, F. Bianconi, M. Borghesi, P. Chessa, A. Giulietti, L.A. Gizzi, L. Nocera (IFAM, Pisa, Italy), D. Giulietti (Dipart. Fisica, Univ. di Pisa, Italy) and E. Schifano (LULI, Paris, France): Forward second harmonic emission from laser plasma filaments 617

S. Abdelli, A. Khalfaoui, T. Kerdja, and D. Ghobrini (MDRTE/CDTA, Alger-gare, Algeria): Laser–plasma interaction properties through second harmonic generation 629

C. Arnas, J. Briand, J.F. Moor, M. Armengaud, and A. Gomes (I.R.S.A.M.C., Univ. Paul Sabatier, Toulouse, France): X-ray pulsation caused by collapse processes in laser interaction with plasma 639

J. Ramirez (ETSI, Madrid, Spain): Flux-limiting effects in a quasisteady plasma corona with nonclassic heat flux 645

E. Mínguez and R. Falquina (Inst. Nucl. Fusion, Madrid, Spain): Analysis of atomic physics models for gold plasmas in local thermodynamic equilibrium 651

A.A. Offenberger, R. Fedosejevs, M. Fujita, Y.-Y. Tsui, and J.N. Broughton (Univ. of Alberta, Canada): KrF laser–plasma interaction experiments with ns and ps pulses 661

F. Mucchielli, P.A. Holstein, B. Meyer, N. Périgaud, and O. Vanderpotte (CEL-V, Villeneuve Saint-Georges, France): Self-backlighting study of a mix in a laser-accelerated planar target 677

V.A. Bolotin, I.N. Burdonsky, V.V. Gavrilov, A. Yu. Gol'tsov, E.V. Zhuzhukalo, S.V. Zavyalets, V.N. Kondrashov, N.G. Kovalsky, and M.I. Pergament (Kurchatov Atomic Energy Inst., Moscow, Russia): X-ray shadowgraphy applications in ablatively accelerated planar foil studies 685

W. Mróz, A. Nowak-Goroszczenko, J. Wołowski, and E. Woryna (Inst. of Plasma Phys. & Laser Microfusion, Warsaw, Poland): Investigations of laser interaction with high-Z targets 689

R. Buccellato, P.F. Cunningham, M.M. Michaelis, and A. Prause (U. Natal, Durban, South Africa): Comparative electron density measurements for the refractive fringe diagnostic and Nomarski interferometry 697

X.C. Zeng (Inst. of App. Phys. and Comp. Math., Beijing, China), D.P. Singh, V. Palleschi, A. Salvetti, M. De Rosa, and M. Vaselli (IFAM, Pisa, Italy): Simulation and experimental studies on the evolution of a laser spark in air 707

J.S. Bakos, I.B. Földes, P.N. Ignácz, M.Á. Kedves, and J. Szigeti (KFKI Res. Inst. for Part. and Nucl. Phys., Budapest, Hungary): Radiation imprisonment in laser blow-off plasma 715

U.S. Begimkulov, B.A. Bryunetkin, V.M. Dyakin, G.A. Koldashov, S.N. Priyatkin, A.Y. Repin, E.L. Stupitsky, and A.Y. Faenov (NPO NIIFTRI, Moscow, Russia): Laser-produced plasma expansion in uniform magnetic field 723

G.E. Belyaev, A.A. Golubev, B.Y. Sharkov (ITEP, Moscow, Russian Federation), B.A. Bryunetkin, I.Y. Skobelev, A.Y. Faenov, (NPO VNIIFTRI, Mendeleevo, 141570 Russian Federation), K. Mahrt-Olt and D.H.H. Hoffmann (GSI, Darmstadt, Germany): Spectroscopic study of plasma produced with a heavy ion maxilac beam 737

M. Chvojka, B. Králiková, E. Krouský, L. Láska, K. Mašek, O. Renner, K. Rohlena, J. Skála, O. Štirand, and P. Trenda (Inst. Phys., Prague, Czechoslovakia): An effect of the target position relative to the laser focus on X-ray emission from the laser plasma 743

V.A. Bolotin, I.N. Burdonskii, V.V. Gavrilov, A.Yu. Gol'stov, S.V. Zavyalets, E.V. Zhuzhukalo, V.N. Kondrashov, M.I. Pergament (Kurchatov Atomic Energy Inst., Moscow, Russia), M.O. Koshevoi, A.A. Rupasov, and A.S. Shikanov (P.N. Lebedev Phys. Inst.): Experimental study of X-ray emission from laser-irradiated planar targets on "Mishen" facility 753

G.E. van Dorssen, E. Louis, and F. Bijkerk (FOM Inst. Plas. Phys. Rijnhuizen, Nieuwegein, The Netherlands): Optimization of X-ray emission from a laser-produced plasma in a narrow wavelength band 759

T. Pisarczyk, A. Faryński, H. Fiedorowicz, P. Gogolewski, M. Kuśnierz, J. Makowski, R. Miklaszewski, M. Mroczkowski, P. Parys, and M. Szczurek (Inst. Plas. Phys. & Laser Microfusion, Warsaw, Poland): Formation of an elongated plasma column by a magnetic confinement of a laser-produced plasma 767

X. Wang, Z. Xu, S. Chen, A. Qian, Y. Li, P. Fan, and L. Lin (Shanghai Inst. of Optics, China): Linear laser plasma toward large-sized uniform soft X-ray source 777

A. Sureau (Lab. de Spectroscopie Atom. et Ionique, Orsay, France): A possible effect of ASE high intensities on gain values in plasmas 787

C.A. Back, P. Renaudin, C. Chenais-Popovics, and J.C. Gauthier (Lab. Phys. de Milieux Ionisés, Palaiseau, France): Optimization study of a photoionization experiment of a laser-produced He-like plasma by an X-ray source 793

A. Faryński, P. Gogolewski, L. Karpiński, M. Kuśnierz, J. Makowski, M. Mroczkowski, M. Szczurek (Inst. Plas. Phys. & Laser Microfusion, Warsaw, Poland), B.A. Bryunetkin, A.J. Faenov, and I.J. Skobelev (Nat. Sci. and Res. Inst., Moscow, Russia): Inverse population of the H-like F ion levels in a recombining laser-produced plasma confined in a strong magnetic field 801

P. Glas and M. Schnürer (Zentralinstitut für Optik und Spektroskopie, Berlin, Germany): Population inversion in H- and He-like Al using laser-produced counterstreaming plasmas 811

R. Kodama (Rutherford Appleton Lab., Oxon, UK): Study of X-ray laser interaction plasmas 821

D. Schirmann, J.L. Bocher, J.P. Le Breton, A. Mens, and R. Sauneuf (CEL-V, Villeneuve Saint-Georges, France): Progress in UV soft X-ray imaging 827

O. Renner and M. Kopecký (Inst. Phys., Prague, Czechoslovakia): Theoretical analysis of double-crystal spectrograph for high-resolution spectroscopy of laser-generated X-rays 841

B.A. Bryunetkin, S.A. Pikuz, I.Y. Skobelev, and A.Y. Faenov (NPO VNIIFTRI, Moscow, Russia): Imaging spectroscopy of high-temperature plasma sources 849

R. Suchańska (Inst. Plas. Phys. & Laser Microfusion, Warsaw, Poland): Targets for investigation of X-ray laser–plasma emission 861

P. Kukiełło and G. Rabczuk (Inst. Fluid Flow Machinery, Gdansk, Poland): High-power cw CO_2 transverse flow laser with a stable multipass cavity: Comparative study 865

J. Beránek, M. Chvojka, V. Hermoch, B. Králiková, J. Krása, L. Láska, K. Mašek, J. Musil, K. Rohlena, B. Rus, J. Schmiedberger, J. Skála, O. Štirand, P. Trenda (Inst. Phys., Prague, Czechoslovakia), N.G. Basov, I.M. Divilkovskiy, V.C. Zuev, A.V. Kanaev, V.A. Katulin, K.S. Korolkov, L.D. Mikheev, E.P. Orlov, A.L. Petrov, and V.I. Yalovoy (Lebedev Phys. Inst., Moscow, Russia): A pulsed iodine photodissociation laser with slow pumping 871

Index 891